

# PREMIER FLUE LTD - "PREMIER ONE" CONNECTING FLUE PIPE - STEEL + ENAMEL 1.2mm

## BROCHURE



### Accreditations

Product range manufactured with ISO 9001:2015

Manufactured in the UK

"Friction Fit". All the products in this range are available in Matt Black.





**Premier Flue Limited**  
Crossley Works, Stockfield Mount, off Peel St, Chadderton, Oldham OL9 9LR  
T 0161 678 2998 F 0161 678 2997 E sales@premierflue.co.uk W www.premierflue.co.uk





As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.  
E & OE

Description	Order Code	Diameter	Length		
<b>Standard Pipe</b> 	PONDP240M	100mm (4")	250mm		
	PONDP250M	125mm (5")	250mm		
	PONDP260M	150mm (6")	250mm		
	PONDP270M	180mm (7")	250mm		
	PONDP280M	200mm(8")	250mm		
	PONDP504M	100mm (4")	500mm		
	PONDP505M	125mm (5")	500mm		
	PONDP506M	150mm (6")	500mm		
	PONDP507M	180mm (7")	500mm		
	PONDP508M	200mm(8")	500mm		
	PONDP1004M	100mm (4")	1000mm		
	PONDP1005M	125mm (5")	1000mm		
	PONDP1006M	150mm (6")	1000mm		
	PONDP1007M	180mm (7")	1000mm		
PONDP1008M	200mm(8")	1000mm			
<b>Standard Pipe with door</b> 	POWDP240M	100mm (4")	330mm		
	POWDP250M	125mm (5")	330mm		
	POWDP260M	150mm (6")	330mm		
	POWDP270M	180mm (7")	330mm		
	POWDP280M	200mm(8")	330mm		
	POWDP504M	100mm (4")	500mm		
	POWDP505M	125mm (5")	500mm		
	POWDP506M	150mm (6")	500mm		
	POWDP507M	180mm (7")	500mm		
	POWDP508M	200mm(8")	500mm		
	POWDP1004M	100mm (4")	1000mm		
	POWDP1005M	125mm (5")	1000mm		
	POWDP1006M	150mm (6")	1000mm		
	POWDP1007M	180mm (7")	1000mm		
POWDP1008M	200mm(8")	1000mm			
<b>90 Bend No Door</b> 	PONDB4090M	100mm (4")			
	PONDB5090M	125mm (5")			
	PONDB6090M	150mm (6")			
	PONDB7090M	180mm (7")			
	PONDB8090M	200mm(8")			
<b>45 Bend No Door</b> 	PONDB40135M	100mm (4")			
	PONDB50135M	125mm (5")			
	PONDB60135M	150mm (6")			
	PONDB70135M	180mm (7")			
	PONDB80135M	200mm(8")			
<b>90 Bend with Door</b> 	POWDB4090M	100mm (4")			
	POWDB5090M	125mm (5")			
	POWDB6090M	150mm (6")			
	POWDB7090M	180mm (7")			
	POWDB8090M	200mm(8")			

Description	Order Code	Diameter	Length		
<b>45 Bend With Door</b> 	POWDB40135M	100mm (4")			
	POWDB50135M	125mm (5")			
	POWDB60135M	150mm (6")			
	POWDB70135M	180mm (7")			
	POWDB80135M	200mm(8")			
<b>150 Bend No Door</b> 	PONDB50150M	125mm (5")			
	PONDB60150M	150mm (6")			
<b>165 Bend No Door</b> 	PONDB50165M	125mm (5")			
	PONDB60165M	150mm (6")			
<b>150 Bend With Door</b> 	POWDB50150M	125mm (5")			
	POWDB60150M	150mm (6")			
<b>165 Bend With Door</b> 	POWDB50165M	125mm (5")			
	POWDB60165M	150mm (6")			
<b>Standard tee</b> 	POSTD40M	100mm (4")			
	POSTD50M	125mm (5")			
	POSTD60M	150mm (6")			
	POSTD70M	180mm (7")			
	POSTD80M	200mm(8")			

Description	Order Code	Diameter	Length		
<b>Tee Cap</b> 	POTC40M	100mm (4")			
	POTC50M	125mm (5")			
	POTC60M	150mm (6")			
	POTC70M	180mm (7")			
	POTC80M	200mm(8")			
<b>One Piece Stove Offset</b> 	POOFFS50M	125mm (5")	LENGTH:	556mm	
	POOFFS60M	150mm (6")	LENGTH:	560mm	
<b>One Piece Stove Offset With Door</b> 	POOFFSWD50M	125mm (5")	LENGTH:	556mm	
	POOFFSWD60M	150mm (6")	LENGTH:	560mm	
<b>Adjustable One Piece Stove Offset</b> 	POAOFFS50M	125mm (5")			
	POAOFFS60M	150mm (6")			
<b>Damper Unit</b> 	PODU40M	100mm (4")			
	PODU50M	125mm (5")			
	PODU60M	150mm (6")			
	PODU70M	180mm (7")			
	PODU80M	200mm(8")			
<b>Double Socket Adaptor</b> 	PODSA40M	100mm (4")			
	PODSA50M	125mm (5")			
	PODSA60M	150mm (6")			
	PODSA70M	180mm (7")			
	PODSA80M	200mm (8")			

Description	Order Code	Diameter	Length		
<b>Double Spigot Adaptor</b>  	PODPA40M	100mm (4")			
	PODPA50M	125mm (5")			
	PODPA60M	150mm (6")			
	PODPA70M	180mm (7")			
	PODPA80M	200mm (8")			
<b>Adjustable Pipes</b>  	POADJ50M	125mm (5")			
	POADJ60M	150mm (6")			
	POADJ70M	180mm (7")			
	POADJ80M	200mm(8")			
<b>Increasing Adaptor</b>  	POIA40M	100mm(4")			
	POIA50M	125mm (5")			
	POIA60M	150mm (6")			
	POIA70M	180mm (7")			
<b>Standard Trim Ring</b>  	POTR40M	100mm(4")			
	POTR50M	125mm (5")			
	POTR60M	150mm (6")			
	POTR70M	180mm (7")			
	POTR80M	200mm (8")			
<b>Split Trim Ring</b>  	POTRS40M	100mm(4")			
	POTRS50M	125mm (5")			
	POTRS60M	150mm (6")			
	POTRS70M	180mm (7")			
	POTRS80M	200mm (8")			
<b>Angled Trim Ring</b>  	POTR40135M	100mm (4")			
	POTR50135M	125mm (5")			
	POTR60135M	150mm (6")			
	POTR70135M	180mm (7")			
	POTR80135M	200mm (8")			
<b>Trim Ring With Spring</b>  <p>"IMAGE AWAITED"</p>	POTRSP50M	125mm (5")			
	POTRSP60M	150mm (6")			

Description	Order Code	Diameter	Length		
<b>Enamelled Wall Bracket</b> 	POWBE040M	100mm (4")			
	POWBE050M	125mm (5")			
	POWBE060M	150mm (6")			
	POWBE070M	180mm (7")			
	POWBE080M	200mm (8")			
<b>Continental Stove Adaptors</b> 	POCSA05M	125mm (5")	126mm Int	116mm Ext.	
	POCSA06M	150mm (6")	152mm Int	135mm Ext.	



**PREMIER FLUE LIMITED**

Vitreous Enamelled Flue Pipe