

PREMIER FLUE LTD - "PREMIER ONE SUPA MATT" CONNECTING FLUE PIPE - STEEL + ENAMEL 1.2mm

BROCHURE



Accreditations

Product range manufactured with ISO 9001:2015

Manufactured in the UK

"Friction Fit". All the products in this range are available in Matt Black.






Premier Flue Limited

Crossley Works, Stockfield Mount, off Peel St, Chadderton, Oldham OL9 9LR
T 0161 678 2998 F 0161 678 2997 E sales@premierflue.co.uk W www.premierflue.co.uk







E & OE

As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.




Description	Order Code	Diameter	Length		
Standard Pipe 	PONMNDP240M	100mm (4")	250mm		
	PONMNDP250M	125mm (5")	250mm		
	PONMNDP260M	150mm (6")	250mm		
	PONMNDP270M	180mm (7")	250mm		
	PONMNDP280M	200mm(8")	250mm		
	PONMNDP504M	100mm (4")	500mm		
	PONMNDP505M	125mm (5")	500mm		
	PONMNDP506M	150mm (6")	500mm		
	PONMNDP507M	180mm (7")	500mm		
	PONMNDP508M	200mm(8")	500mm		
	PONMNDP1004M	100mm (4")	1000mm		
	PONMNDP1005M	125mm (5")	1000mm		
	PONMNDP1006M	150mm (6")	1000mm		
	PONMNDP1007M	180mm (7")	1000mm		
	PONMNDP1008M	200mm(8")	1000mm		
Standard Pipe with door 	PONMWDP240M	100mm (4")	330mm		
	PONMWDP250M	125mm (5")	330mm		
	PONMWDP260M	150mm (6")	330mm		
	PONMWDP270M	180mm (7")	330mm		
	PONMWDP280M	200mm(8")	330mm		
	PONMWDP504M	100mm (4")	500mm		
	PONMWDP505M	125mm (5")	500mm		
	PONMWDP506M	150mm (6")	500mm		
	PONMWDP507M	180mm (7")	500mm		
	PONMWDP508M	200mm(8")	500mm		
	PONMWDP1004M	100mm (4")	1000mm		
	PONMWDP1005M	125mm (5")	1000mm		
	PONMWDP1006M	150mm (6")	1000mm		
	PONMWDP1007M	180mm (7")	1000mm		
	PONMWDP1008M	200mm(8")	1000mm		
90 Bend No Door 	PONMNDB4090M	100mm (4")			
	PONMNDB5090M	125mm (5")			
	PONMNDB6090M	150mm (6")			
	PONMNDB7090M	180mm (7")			
	PONMNDB8090M	200mm(8")			
45 Bend No Door 	PONMNDB40135M	100mm (4")			
	PONMNDB50135M	125mm (5")			
	PONMNDB60135M	150mm (6")			
	PONMNDB70135M	180mm (7")			
	PONMNDB80135M	200mm(8")			
90 Bend with Door 	PONMWDB4090M	100mm (4")			
	PONMWDB5090M	125mm (5")			
	PONMWDB6090M	150mm (6")			
	PONMWDB7090M	180mm (7")			
	PONMWDB8090M	200mm(8")			

Description	Order Code	Diameter	Length		
45 Bend With Door 	PONMWDB40135M	100mm (4")			
	PONMWDB50135M	125mm (5")			
	PONMWDB60135M	150mm (6")			
	PONMWDB70135M	180mm (7")			
	PONMWDB80135M	200mm(8")			
150 Bend No Door 	PONMNDB50150M	125mm (5")			
	PONMNDB60150M	150mm (6")			
165 Bend No Door 	PONMNDB50165M	125mm (5")			
	PONMNDB60165M	150mm (6")			
150 Bend With Door 	PONMWDB50150M	125mm (5")			
	PONMWDB60150M	150mm (6")			
165 Bend With Door 	PONMWDB50165M	125mm (5")			
	PONMWDB60165M	150mm (6")			
Standard tee 	PONMSTD40M	100mm (4")			
	PONMSTD50M	125mm (5")			
	PONMSTD60M	150mm (6")			
	PONMSTD70M	180mm (7")			
	PONMSTD80M	200mm(8")			

Description	Order Code	Diameter	Length		
Tee Cap 	PONMTC40M	100mm (4")			
	PONMTC50M	125mm (5")			
	PONMTC60M	150mm (6")			
	PONMTC70M	180mm (7")			
	PONMTC80M	200mm(8")			
One Piece Stove Offset 	PONMOFFS50M	125mm (5")			
	PONMOFFS60M	150mm (6")			
One Piece Stove Offset With Door 	PONMOFFSWD50M	125mm (5")			
	PONMOFFSWD60M	150mm (6")			
Adjustable One Piece Stove Offset 	PONMAOFFS50M	125mm (5")			
	PONMAOFFS60M	150mm (6")			
Damper Unit 	PONMDU40M	100mm (4")			
	PONMDU50M	125mm (5")			
	PONMDU60M	150mm (6")			
	PONMDU70M	180mm (7")			
	PONMDU80M	200mm(8")			
Double Socket Adaptor 	PONMDSA40M	100mm (4")			
	PONMDSA50M	125mm (5")			
	PONMDSA60M	150mm (6")			
	PONMDSA70M	180mm (7")			
	PONMDSA80M	200mm (8")			

Description	Order Code	Diameter	Length		
Double Spigot Adaptor 	PONMDPA40M	100mm (4")			
	PONMDPA50M	125mm (5")			
	PONMDPA60M	150mm (6")			
	PONMDPA70M	180mm (7")			
	PONMDPA80M	200mm (8")			
Adjustable Pipes 	PONMADJ50M	125mm (5")			
	PONMADJ60M	150mm (6")			
	PONMADJ70M	180mm (7")			
	PONMADJ80M	200mm(8")			
Increasing Adaptor 	PONMIA40M	100mm(4")			
	PONMIA50M	125mm (5")			
	PONMIA60M	150mm (6")			
	PONMIA70M	180mm (7")			
Standard Trim Ring 	PONMTR40M	100mm(4")			
	PONMTR50M	125mm (5")			
	PONMTR60M	150mm (6")			
	PONMTR70M	180mm (7")			
	PONMTR80M	200mm (8")			
Split Trim Ring 	PONMTRS40M	100mm(4")			
	PONMTRS50M	125mm (5")			
	PONMTRS60M	150mm (6")			
	PONMTRS70M	180mm (7")			
	PONMTRS80M	200mm (8")			
Angled Trim Ring 	PONMTR40135M	100mm(4")			
	PONMTR50135M	125mm(5")			
	PONMTR60135M	150mm(6")			
	PONMTR70135M	180mm(7")			
	PONMTR80135M	200mm(8")			
Enamelled Wall Bracket 	PONMWBE040M	100mm(4")			
	PONMWBE050M	125mm (5")			
	PONMWBE060M	150mm (6")			
	PONMWBE070M	180mm (7")			
	PONMWBE080M	200mm (8")			
Continental Stove Adaptors 	PONMCSA05M	125mm (5")	117mm int		
	PONMCSA06M	150mm (6")	135mm int		

Description	Order Code	Diameter	Length	
NEW Trim Ring With Spring	PONMTRSP50M	125mm (5")		
	PONMTRSP60M	150mm (6")		



PREMIER FLUE LIMITED

Vitreous Enamelled Flue Pipe